

Room Layout Sheet

ANMM	ANAESTHETIC - MACHINE WITH ANAESTHETIC MONITOR
BH/PB	BULKHEAD - PLASTERBOARD, PAINT FINISH
BNL	BENCH - LAMINATE
BRCPM	BRACKET - PATIENT MONITOR
BRCs	BRACKET - SHARPS
BRCsB	BRACKET - SUCTION BOTTLE

The drawing shows a horizontal line representing a wall section. At each end, there is a vertical line with a crossbar, labeled 'C/L OF WALL'. A dimension line with arrows at both ends is placed below the horizontal line, indicating a length of 3600 units.

Technical drawing of a vertical assembly with dimensions and labels:

- Dimensions (from top to bottom): 2700, 2400, 2200, 1800, 1500, 1100, 900, 400, 150, 0.
- Labels:
 - PC2 WPF (top right)
 - L/PT (middle left)
 - TP/HS (middle left)
 - LS/R2 (middle right)
 - SK4 (bottom right)
- Other features:
 - A horizontal line with a left-pointing arrow at the 1500 dimension.
 - A horizontal line with a left-pointing arrow at the 1100 dimension.
 - A horizontal line with a left-pointing arrow at the 400 dimension.
 - A dashed rectangular area at the bottom, labeled SK4.



This document is for advisory purpose only

iHFG Standard Components

Room Layout Sheet

Room Name

Anaesthetic Induction Room

RLS Room Code

anin-i

RDS Room Code

anin-i

GENERAL NOTES:

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S.
(ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECTED TO
DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.

CEILING LEGEND:

PB-PC2

2700

CEILING TYPE

CORNICE TYPE

HEIGHT ABOVE F.F.L.

BH/PB

PB/PC2

PLASTERBOARD BULKHEAD, PAINT FINISH

PLASTERBOARD FLUSH SET CEILING, PAINT FINISH

WITH PLASTERBOARD CORNICE, FLUSHED COVERED

ELECTRICAL LEGEND:

L/CC

LIGHT - COLOUR CORRECTED

L/DR

LIGHT - DOWNLIGHT, RECESSED

MECHANICAL LEGEND:

HEPA FILTER GRILLE

EXHAUST GRILLE

FIRE SERVICES LEGEND:

SMOKE DETECTOR

SPRINKLER

REFLECTED CEILING PLAN

ISOMETRIC VIEW 1

ISOMETRIC VIEW 2

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY																				
1	FIRST ISSUE	24.10.10	LL	4	GENERAL REVISION	31.08.22	RA	iHFG <table><tr><th>DESIGNED</th><th>APPROVED</th><th>DATE</th><th>SCALE(S)</th><th>SHEET</th></tr><tr><td>RA</td><td>RH</td><td>31.08.22</td><td>1 : 50</td><td>2 OF 2</td></tr><tr><th colspan="2">REVIT FILE NAME</th><th colspan="2">PAPER DRAWING ID</th><th>ISSUE</th></tr><tr><td colspan="2">anin-i</td><td colspan="2">anin-i-2</td><td>4</td></tr></table>	DESIGNED	APPROVED	DATE	SCALE(S)	SHEET	RA	RH	31.08.22	1 : 50	2 OF 2	REVIT FILE NAME		PAPER DRAWING ID		ISSUE	anin-i		anin-i-2		4
DESIGNED	APPROVED	DATE	SCALE(S)	SHEET																								
RA	RH	31.08.22	1 : 50	2 OF 2																								
REVIT FILE NAME		PAPER DRAWING ID		ISSUE																								
anin-i		anin-i-2		4																								
2	GENERAL REVISION	30.08.11	HMC																									
3	GENERAL REVISION	31.10.12	CT																									

iHFG

International Health Facility Guidelines

International Health Facility Guidelines at:
www.healthdesign.com.au/iHFG
Editable version of Standard Components on
Health Facility Briefing System (HFBS) at:
www.healthdesign.com.au ©TAHPI

ISO 9001

QUALITY MANAGEMENT SYSTEM

This document is for advisory purpose only