

Room Layout Sheet

anwm-i

anwm-i

Anaesthetic Workroom

The diagram illustrates the layout of a laboratory facility, divided into two levels: FLOOR-V1 and FLOOR-V6. The overall dimensions are 3300 units wide and 4600 units high. The plan includes various equipment and clearances, with a central diamond-shaped hazard symbol indicating a specific area of concern.


FLOOR-V1 Details:

- Dimensions:** 3300 (width) x 4600 (height).
- Clearances:** 1400MM CLEAR OPENING (top and bottom).
- Equipment/Features:**
 - ANALYSER/TESTER ELECTRICAL
 - ANALYSER/TESTER GAS FLOW
 - CBD/WL
 - TP/HS (two locations)
 - BNL
 - HWB/B
 - TAP/ST
 - WBG/20
- Clearances:** 920 CLEAR OPENING (left and right).
- Symbol:** A diamond-shaped hazard symbol with the numbers 1, 2, 3, and 4 in the quadrants.


FLOOR-V6 Details:

- Dimensions:** 3300 (width) x 4600 (height).
- Clearances:** 1400MM CLEAR OPENING (top and bottom).
- Equipment/Features:**
 - ANALYSER/TESTER ELECTRICAL
 - ANALYSER/TESTER GAS FLOW
 - CBD/WL
 - TP/HS (two locations)
 - BNL
 - HWB/B
 - TAP/ST
 - WBG/20
- Clearances:** 920 CLEAR OPENING (left and right).
- Symbol:** A diamond-shaped hazard symbol with the numbers 1, 2, 3, and 4 in the quadrants.

PLAN




ELEVATION 2



ELEVATION 4

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	24.10.10	CC	4	GENERAL REVISION	27.01.23	AM	iHFG
2	GENERAL REVISION	30.08.11	HMC					
3	GENERAL REVISION	31.10.12	CT					



International Health
Facility Guidelines

International Health Facility Guidelines at:
www.healthdesign.com.au/iHFG
 Editable version of Standard Components on
 Health Facility Briefing System (HFBS) at:
[@TAHPI](http://www.healthdesign.com.au)



DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
AM	SA	27.01.23	1 : 50	1 OF 2
REVIT FILE NAME		PAPER DRAWING ID		ISSUE
anwm-i		anwm-i-1		4

This document is for advisory purpose only

iHFG Standard Components

Room Layout Sheet

Room Name

Anaesthetic Workroom

RLS Room Code

anwm-i

RDS Room Code

anwm-i

GENERAL NOTES:

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S.
(ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECTED TO
DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.



CEILING LEGEND:

	CEILING TYPE
	CORNICE TYPE
	HEIGHT ABOVE F.F.L.
ACT-PC5	ACOUSTIC CEILING TILES WITH POWDERCOAT ALUMINIUM CORNICE, ANGEL FLUSH AGAINST WALL
BH/PB	PLASTERBOARD BULKHEAD, PAINT FINISH

ELECTRICAL LEGEND:


	L/LL	LIGHT - LED LIGHT
	L/DR	LIGHT - DOWNLIGHT, RECESSED

MECHANICAL LEGEND:


	HEPA FILTER GRILLE
	EXHAUST GRILLE

FIRE SERVICES LEGEND:


	SMOKE DETECTOR
	SPRINKLER



REFLECTED CEILING PLAN



ISOMETRIC VIEW 01



ISOMETRIC VIEW 02

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	24.10.10	CC	4	GENERAL REVISION	27.01.23	AM	
2	GENERAL REVISION	30.08.11	HMC					
3	GENERAL REVISION	31.10.12	CT					
 International Health Facility Guidelines								
International Health Facility Guidelines at: www.healthdesign.com.au/iHFG Editable version of Standard Components on Health Facility Briefing System (HFBS) at: www.healthdesign.com.au ©TAHPI								DESIGNED AM
								APPROVED SA
								DATE 27.01.23
								SCALE(S) 1 : 50
								SHEET 2 OF 2
								REVIT FILE NAME anwm-i
								PAPER DRAWING ID anwm-i-2
								ISSUE 4

This document is for advisory purpose only