

iHFG Standard Components

Room Layout Sheet

Room Name

Catheter Lab Control / Reporting Room

RLS Room Code


clcrt-i

RDS Room Code


clcrt-i

- BH/PB
- BULKHEAD - PLASTERBOARD, PAINT FINISH
- BNL
- BENCH - LAMINATE
- CAC
- CABLE ACCESS CAP
- CHR/EH
- CHAIR - ERGONOMIC, HIGH
- CMP
- COMPUTER
- COM/2
- COMMUNICATION OUTLET - DOUBLE
- H/H
- HOOK - HEAVY DUTY
- IM/CC
- IMAGING - CONSOLE, CONTROL
- INT
- INTERCOM
- KP
- KICKPLATE
- L/PT
- LIGHT - PELMET TASK LIGHT
- LS/P
- LIGHT SWITCH - PELMET TASK LIGHT
- LS/R
- LIGHT SWITCH - ROOM
- LVP
- LAMINATE VERTICAL SUPPORT PANEL
- OP/R
- OBSERVATION PANEL - RADIATION SHIELDING
- OWIN
- OBSERVATION WINDOW
- PDU/M
- PEDESTAL DRAWER UNIT - MOBILE
- PO/2E
- POWER OUTLET - EMERGENCY, DOUBLE
- PO/2U
- UNINTERRUPTED POWER SUPPLY - DOUBLE
- PO/C
- POWER OUTLET - CLEANER'S
- PRT/N
- PRINTER - NETWORKED
- SK4
- FLOOR VINYL COVED SKIRTING
- SUOA
- SHELVING UNIT - OVER BENCH, ADJUSTABLE
- TP/HS
- TELEPHONE - HANDSET, STANDARD
- V1
- VINYL FLOORING, STANDARD SLIP RESISTANT
- WBG/20
- WASTE BIN - GENERAL, 20 LITRE
- WPF
- WALL PAINT FINISH


NOTE:
RADIATION SHIELDING REQUIREMENTS TO BE PROVIDED BY
A QUALIFIED RADIATION SHIELDING CONSULTANT




PLAN




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY						
1	FIRST ISSUE	24.10.10	CC	4	GENERAL REVISION	22.09.22	BK		DESIGNED		APPROVED	DATE	SCALE(S)	SHEET
2	GENERAL REVISION	30.08.11	MT						BK	RH	22.09.22	1 : 50	1 OF 2	
3	GENERAL REVISION	31.10.12	KC						REVIT FILE NAME		PAPER DRAWING ID		ISSUE	
									clcr-t-i		clcr-t-i-1		4	

International Health Facility Guidelines

International Health Facility Guidelines at:
www.healthdesign.com.au/iHFG
Editable version of Standard Components on
Health Facility Briefing System (HFBS) at:
www.healthdesign.com.au ©TAHPI



iHFG Standard Components

Room Layout Sheet

Room Name

Catheter Lab Control / Reporting Room

RLS Room Code

clcrt-i

RDS Room Code

clcrt-i

GENERAL NOTES:

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S.
(ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECTED TO
DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.

CEILING LEGEND:

ACT-PC4 ACOUSTIC CEILING TILES WITH POWDERCOAT
ALUMINIUM CORNICE, SHADOW LINE
BH/PB PLASTERBOARD BULKHEAD, PAINT FINISH

PB CEILING TYPE
3000 HEIGHT ABOVE F.F.L.

ELECTRICAL LEGEND:

L/LL LIGHT - LED LIGHT

MECHANICAL LEGEND:


SUPPLY AIR GRILLE

RETURN AIR GRILLE OR TRANSFER GRILLE


FIRE SERVICES LEGEND:

SMOKE DETECTOR


SPRINKLER



REFLECTED CEILING PLAN



ISOMETRIC VIEW 1



ISOMETRIC VIEW 2

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY					
1	FIRST ISSUE	24.10.10	CC	4	GENERAL REVISION	22.09.22	BK						
2	GENERAL REVISION	30.08.11	MT										
3	GENERAL REVISION	31.10.12	KC										
International Health Facility Guidelines International Health Facility Guidelines at: www.healthdesign.com.au/iHFG Editable version of Standard Components on Health Facility Briefing System (HFBS) at: www.healthdesign.com.au ©TAHPI 								DESIGNED	APPROVED	DATE	SCALE(S)	SHEET	
		BK			RH			22.09.22	1 : 50	2 OF 2			
								REVIT FILE NAME		PAPER DRAWING ID		ISSUE	
								clcrt-i		clcrt-i-2		4	

This document is for advisory purpose only