

iHFG Standard Components

Room Layout Sheet

Room Name

Clean-up Room - (Pathology)

RLS Room Code

clup-p-i

RDS Room Code

clup-p-i

- AS

BH/PB

BNSSW

CBD/UB

CBD/W

COM/1

CW

DDG

DFP

DHT

DSA

FB

FW

HW

HWB/B

LS/R

MA

OP

PO/2

PO/S-3PH

PRC/SH

RO

SHSS

SK4

SNK

SNKF

TAP/EM

TAP/ST

V4

WAS/U

WBC/120

WBG/20

WPF

WV
- ADJUSTABLE SHELF

BULKHEAD - PLASTERBOARD, PAINT FINISH

BENCH - STAINLESS STEEL, WET EDGE

CUPBOARD - UNDER BENCH

CUPBOARD - WALL MOUNTED

COMMUNICATION OUTLET - SINGLE

COLD WATER OUTLET

DISPENSER - DISPOSABLE GLOVES

DOOR AND DOOR FRAME PROTECTION

DISPENSER - PAPER HAND TOWEL

DISPENSER - SOAP, ANTISEPTIC

FLUSH BUTTON

FLOOR WASTE

HOT WATER OUTLET

HAND WASH BASIN - TYPE 'B'

LIGHT SWITCH - ROOM

MEDICAL AIR

OBSERVATION PANEL

POWER OUTLET - DOUBLE

POWER OUTLET - SPECIAL, 3 PHASE

PRESSURE CONTROL - SPRAY HOSE

REVERSE OSMOSIS

SHELF - STAINLESS STEEL

FLOOR VINYL COVED SKIRTING

SINK, STAINLESS STEEL

SINK - FLUSHING RIM

TAPWARE - ELBOW MIXER

TAPWARE - SENSOR TAP

VINYL FLOORING, NON SLIP - SAFETY


WASHER SANITISER - UTENSIL

WASTE BIN - CLINICAL, 120 LITRE


WASTE BIN - GENERAL, 20 LITRE

WALL PAINT FINISH


WALL VINYL




PLAN




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY		
1	FIRST ISSUE	24.10.10	LL	4	GENERAL REVISION	31.10.22	RA	iHFG		
2	GENERAL REVISION	30.08.11	MT							
3	GENERAL REVISION	31.10.12	KC							
								DESIGNED	APPROVED	DATE
								RA	RH	31.10.22
								REVISIT FILE NAME	PAPER DRAWING ID	SCALE(S)
								clup-p-i	clup-p-i-1	1 : 50
										SHEET
										1 OF 2
										ISSUE
										4

iHFG Standard Components

Room Layout Sheet

Room Name

Clean-up Room - (Pathology)

RLS Room Code

clup-p-i

RDS Room Code


clup-p-i

GENERAL NOTES:

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S.
(ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECT TO
DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.


CEILING LEGEND:




BH/PB | PLASTERBOARD BULKHEAD, PAINT FINISH
WPT-PC5 | WATER RESISTANT, DROP IN TILES POWDERCOAT WITH
ALUMINIUM CORNICE, FLUSHED AGAINST WALL

TILE CEILING GRID (600 x 600)
 GRID LINE


ELECTRICAL LEGEND:




MECHANICAL LEGEND:




FIRE SERVICES LEGEND:



REFLECTED CEILING PLAN



ISOMETRIC VIEW 1



ISOMETRIC VIEW 2

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY						
1	FIRST ISSUE	24.10.10	LL	4	GENERAL REVISION	31.10.22	RA		DESIGNED		APPROVED	DATE	SCALE(S)	SHEET
2	GENERAL REVISION	30.08.11	MT						RA	RH	31.10.22	1 : 50	2 OF 2	
3	GENERAL REVISION	31.10.12	KC						REVIT FILE NAME		PAPER DRAWING ID		ISSUE	
International Health Facility Guidelines International Health Facility Guidelines at: www.healthdesign.com.au/iHFG Editable version of Standard Components on Health Facility Briefing System (HFBS) at: www.healthdesign.com.au ©TAHPI  <td colspan="2">clup-p-i</td> <td colspan="2">clup-p-i-2</td> <td>4</td>								clup-p-i		clup-p-i-2		4		

This document is for advisory purpose only