

Room Layout Sheet

dtur-12-i


dtur-12-i

Dirty Utility, 12m2

This detailed floor plan shows a kitchen area with the following features and dimensions:


- Overall Dimensions:** 2800 (width) x 4300 (depth).
- Clearance:** 920 CLEAR OPENING at the top and bottom.
- Central Area:** 12 m² FLOOR=V4, marked with a diamond symbol containing the numbers 1, 4, 3, and 2.
- Equipment and Fixtures:**
 - WAS/PU OR MACERATOR (OPTIONAL)
 - H/CB (Hot/Cold Water)
 - R/BB (Refrigerator/Built-in)
 - SNKF HG/S (Sink/Faucet)
 - BNSSW (Built-in Sink/Water)
 - TAP/M SNK1 (Tap/Mixer Sink)
 - CBD/U (OPTIONAL) (Cabinet/Drawer)
 - WBG/20 (Washing Basin/Garbage Disposal)
 - TAP/ST HWB/B (Tap/Storage Hot Water Basin/Built-in)
 - DDG (Dish Drainer/Garbage Disposal)
 - DS DHT (Dish Drainer/Hot Water Tap)
 - DHS (OPTIONAL) (Dishwasher)
 - SBIN (Sink Basin)
 - H/EQ (Hood/Extractor)
 - R/PU (Refrigerator/Unit)
 - WBC/240 (Washing Basin/Cabinet)
- Dimensions and Spacing:**
 - Top wall: 2800
 - Left wall: 4300
 - Right wall: 2800
 - Bottom wall: 2800
 - Vertical spacing on the left: 450, 900, 900, 500
 - Horizontal spacing at the top: 920 CLEAR OPENING
 - Horizontal spacing at the bottom: 920 CLEAR OPENING

PLAN



ELEVATION 1

ELEVATION 2



ELEVATION 3

ELEVATION 4

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	24.10.10	CC	4	GENERAL REVISION	31.08.22	RA	
2	GENERAL REVISION	30.08.11	ASD					
3	GENERAL REVISION	31.10.12	KC					



International Health Facility Guidelines at:
www.healthdesign.com.au/iHFG
 Editable version of Standard Components on
 Health Facility Briefing System (HFBS) at:
[@TAHPI](http://www.healthdesign.com.au)



DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
RA	RH	31.08.22	1 : 50	1 OF 2
REVIT FILE NAME		PAPER DRAWING ID		ISSUE
dtur-12-i		dtur-12-i-1		4

This document is for advisory purpose only

iHFG Standard Components

Room Layout Sheet

Room Name

Dirty Utility, 12m2

RLS Room Code

dtur-12-i

RDS Room Code

dtur-12-i

GENERAL NOTES:

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S. (ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECTED TO DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.

CEILING LEGEND:

PB-PC2

2700

CEILING TYPE

CORNICE TYPE

HEIGHT ABOVE F.F.L.

BH/PB

PLASTERBOARD BULKHEAD, PAINT FINISH

WPT-PC4

WATER RESISTANT, DROP IN TILES WITH POWDERCOAT

ALUMINIUM CORNICE, SHADOW ANGLE 24mm

TILE CEILING GRID (600 x 600)

GRID LINE

LIGHT - LED LIGHT

ELECTRICAL LEGEND:

L/LL

LIGHT - LED LIGHT

MECHANICAL LEGEND:


SUPPLY AIR GRILLE

EXHAUST GRILLE


FIRE SERVICES LEGEND:

SMOKE DETECTOR


SPRINKLER



REFLECTED CEILING PLAN



ISOMETRIC VIEW 1



ISOMETRIC VIEW 2

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY					
1	FIRST ISSUE	24.10.10	CC	4	GENERAL REVISION	31.08.22	RA	iHFG					
2	GENERAL REVISION	30.08.11	ASD										
3	GENERAL REVISION	31.10.12	KC										
iHFG International Health Facility Guidelines International Health Facility Guidelines at: www.healthdesign.com.au/iHFG Editable version of Standard Components on Health Facility Briefing System (HFBS) at: www.healthdesign.com.au ©TAHPI ISO 9001 QUALITY MANAGEMENT SYSTEM								DESIGNED	APPROVED	DATE	SCALE(S)	SHEET	
								RA	RH	31.08.22	1 : 50	2 OF 2	
								REVIT FILE NAME		PAPER DRAWING ID		ISSUE	
								dtur-12-i		dtur-12-i-2		4	

This document is for advisory purpose only