



Room Layout Sheet

Room Name	Electromyograph Room (EMG)	RLS Room Code	emg-i
		RDS Room Code	emg-i


BH/PB	BULKHEAD - PLASTERBOARD, PAINT FINISH	V1	VINYL FLOORING, STANDARD SLIP RESISTANT
BRCS	BRACKET - SHARPS	V6	VINYL FLOORING, NON SLIP - TEXTURED
BRCSB	BRACKET - SUCTION BOTTLE	WBC/20	WASTE BIN - CLINICAL, 20 LITRE
CAC	CABLE ACCESS CAP	WBG/20	WASTE BIN - GENERAL, 20 LITRE
CBS	CURTAIN - BED SCREEN	WP/L	WALL PANEL, LAMINATE
CHR/E	CHAIR - ERGONOMIC, OFFICE	WPF	WALL PAINT FINISH
CHR/VO	CHAIR - VISITOR, OFFICE		
CMP	COMPUTER		
CO/EX	COUCH - EXAMINATION, ELECTRIC		
COH	COAT HOOK		
COM/2	COMMUNICATION OUTLET - DOUBLE		
CTBS	CURTAIN TRACK - BED SCREEN		
DDG	DISPENSER - DISPOSABLE GLOVES		
DFF	DOOR AND DOOR FRAME PROTECTION		
DHS	DISPENSER - HAND SANITISER		
DHT	DISPENSER - PAPER HAND TOWEL		
DK	DESK		
DSA	DISPENSER - SOAP, ANTISEPTIC		
EC	EMERGENCY CALL		
EMG/T	ELECTROMYOGRAPH ON TROLLEY		
FST	FOOTSTOOL		
HWB/B	HAND WASH BASIN - TYPE 'B'		
L/PT	LIGHT - PELMET TASK LIGHT		
LS/P	LIGHT SWITCH - PELMET TASK LIGHT		
LS/R	LIGHT SWITCH - ROOM		
MR	MIRROR		
O2	OXYGEN		
PN/FC	PINBOARD - FABRIC COVERED		
PO/1	POWER OUTLET - SINGLE		
PO/1E	POWER OUTLET - EMERGENCY, SINGLE		
PO/2	POWER OUTLET - DOUBLE		
PO/2E	POWER OUTLET - EMERGENCY, DOUBLE		
PO/C	POWER OUTLET - CLEANER'S		
S	SUCTION		
SAC	STAFF ASSIST CALL		
SB	SUCTION BOTTLE		
SBIN	SHARPS BIN		
SBK	SPLASHBACK		
SK4	FLOOR VINYL COVERED SKIRTING		
SP	SERVICES PANEL		
SUA	SHELVING UNIT - ADJUSTABLE		
T/D	TROLLEY - DRESSING		
TAP/ST	TAPWARE - SENSOR TAP		
TP/HH	TELEPHONE - HANDSET, HANDSFREE		




PLAN




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	07.01.26	AK					iHFG



International Health Facility Guidelines at:
www.healthdesign.com.au/iHFG
 Editable version of Standard Components on
 Health Facility Briefing System (HFBS) at:
www.healthdesign.com.au ©TAHPI



DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
AK	CC	07.01.26	1 : 50	1 OF 2
REVIT FILE NAME		PAPER DRAWING ID		ISSUE
emq-i		emq-i-1		1

This document is for advisory purpose only

Room Layout Sheet

emg-i

emg-i

Room Name

Electromyograph Room (EMG)

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S.
(ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECTED TO DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.

BP-PC2
2700 ← HEIGHT ABOVE F.F.L.

BH/PB	PLASTERBOARD BULKHEAD, PAINT FINISH
PB-PC3	PLASTERBOARD FLUSH SET CEILING, PAINT FINISH WITH PLASTERBOARD SQUARE SET CORNICE

 TILE CEILING GRID (600 x 600)


 GRID LINE

○ L/CC LIGHT - COLOUR CORRECTED


SUPPLY AIR GRILLE

RETURN AIR GRILLE


	SMOKE DETECTOR
	SPRINKLER



REFLECTED CEILING PLAN



ISOMETRIC VIEW 1



ISOMETRIC VIEW 2

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	07.01.26	AK					iHFG



International Health Facility Guidelines at:
www.healthdesign.com.au/iHFG
 Editable version of Standard Components on
 Health Facility Briefing System (HFBS) at:
www.healthdesign.com.au ©TAHPI



DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
AK	CC	07.01.26	1 : 50	2 OF 2
REVIT FILE NAME emc-i		PAPER DRAWING ID emc-i-2		ISSUE 1

This document is for advisory purpose only