

iHFG Standard Components

Room Layout Sheet

Room Name

Meeting Room - Medium/Large, 20m²


RLS Room Code

meet-l-20-i


RDS Room Code

meet-l-20-i


- AS
- AV
- BH/PB
- BNL
- BRCTVW
- CBD/UBL
- CBD/WL
- CHR/M
- CMP
- COM/2
- COM/IPTV
- CPT
- DA
- KP
- LS/DD
- LS/R
- OP
- PO/1
- PO/2
- PO/C
- PR
- PRS/C
- SK7
- TB/M
- TP/HS
- TV
- VCS
- WBP/20
- WPF
- ADJUSTABLE SHELF
- AUDIO VISUAL OUTLET
- BULKHEAD - PLASTERBOARD, PAINT FINISH
- BENCH - LAMINATE
- BRACKET - TELEVISION, WALL MOUNTED
- CUPBOARD - UNDER BENCH, LOCKABLE
- CUPBOARD - WALL MOUNTED, LOCKABLE
- CHAIR - MEETING ROOM
- COMPUTER
- COMMUNICATION OUTLET - DOUBLE
- COMMUNICATION OUTLET - INTERNET PROTOCOL TELEVISION
- CARPET
- DURESS ALARM
- KICKPLATE
- LIGHT SWITCH - DOWNLIGHT DIMMER
- LIGHT SWITCH - ROOM
- OBSERVATION PANEL
- POWER OUTLET - SINGLE
- POWER OUTLET - DOUBLE
- POWER OUTLET - CLEANER'S
- PROJECTOR
- PROJECTION SCREEN, CEILING MOUNTED
- TIMBER SKIRTING
- TABLE - MEETING
- TELEPHONE - HANDSET, STANDARD
- TELEVISION
- VIDEO CONFERENCING SYSTEM
- WASTE BIN - PAPER, 20 LITRE
- WALL PAINT FINISH




PLAN




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	24.10.10	LL	4	GENERAL REVISION	25.05.23	AM	
2	GENERAL REVISION	30.08.11	ASD					
3	GENERAL REVISION	31.10.12	KC					

iHFG

International Health Facility Guidelines

International Health Facility Guidelines at: www.healthdesign.com.au/iHFG
Editable version of Standard Components on Health Facility Briefing System (HFBS) at: www.healthdesign.com.au/TAHPI

ISO 9001

QUALITY MANAGEMENT SYSTEM

DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
AM	SA	25.05.23	1 : 50	1 OF 3
REVIT FILE NAME		PAPER DRAWING ID		ISSUE
meet-l-20-i		meet-l-20-i-1		4

iHFG Standard Components

Room Layout Sheet

Room Name

Meeting Room - Medium/Large, 20m²

RLS Room Code

meet-l-20-i

RDS Room Code

meet-l-20-i

GENERAL NOTES:

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S.
(ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECTED TO
DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.

CEILING LEGEND:

PB-PC2

2700

CEILING TYPE

CORNICE TYPE

HEIGHT ABOVE F.F.L.

ACT-PC5

ACOUSTIC CEILING TILES WITH POWDERCOAT ALUMINIUM
CORNICE, FLUSHED AGAINST WALL

BH/PB

PLASTERBOARD BULKHEAD, PAINT FINISH

TILE CEILING GRID (600 x 600)

ELECTRICAL LEGEND:

L/LL

LIGHT - LED LIGHT

L/DD

LIGHT - DOWNLIGHT, DIMMABLE

MECHANICAL LEGEND:


SUPPLY AIR GRILLE

RETURN AIR GRILLE

FIRE SERVICES LEGEND:

SMOKE DETECTOR

SPRINKLER



REFLECTED CEILING PLAN

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY																				
1	FIRST ISSUE	24.10.10	LL	4	GENERAL REVISION	25.05.23	AM	iHFG																				
2	GENERAL REVISION	30.08.11	ASD																									
3	GENERAL REVISION	31.10.12	KC																									
iHFG International Health Facility Guidelines International Health Facility Guidelines at: www.healthdesign.com.au/iHFG Editable version of Standard Components on Health Facility Briefing System (HFBS) at: www.healthdesign.com.au ©TAHPI ISO9001 QUALITY MANAGEMENT SYSTEM <table><tr><th>DESIGNED</th><th>APPROVED</th><th>DATE</th><th>SCALE(S)</th><th>SHEET</th></tr><tr><td>AM</td><td>SA</td><td>25.05.23</td><td>1 : 50</td><td>2 OF 3</td></tr><tr><td colspan="2">REVIT FILE NAME</td><td colspan="2">PAPER DRAWING ID</td><td>ISSUE</td></tr><tr><td colspan="2">meet-l-20-i</td><td colspan="2">meet-l-20-i-2</td><td>4</td></tr></table>									DESIGNED	APPROVED	DATE	SCALE(S)	SHEET	AM	SA	25.05.23	1 : 50	2 OF 3	REVIT FILE NAME		PAPER DRAWING ID		ISSUE	meet-l-20-i		meet-l-20-i-2		4
DESIGNED	APPROVED	DATE	SCALE(S)	SHEET																								
AM	SA	25.05.23	1 : 50	2 OF 3																								
REVIT FILE NAME		PAPER DRAWING ID		ISSUE																								
meet-l-20-i		meet-l-20-i-2		4																								

This document is for advisory purpose only

iHFG Standard Components

Room Layout Sheet

Room Name


Meeting Room - Medium/Large, 20m²

RLS Room Code


meet-l-20-i

RDS Room Code

meet-l-20-i



ISOMETRIC VIEW 01



ISOMETRIC VIEW 02

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY					
1	FIRST ISSUE	24.10.10	LL	4	GENERAL REVISION	25.05.23	AM		DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
2	GENERAL REVISION	30.08.11	ASD										
3	GENERAL REVISION	31.10.12	KC										
 International Health Facility Guidelines International Health Facility Guidelines at: www.healthdesign.com.au/iHFG Editable version of Standard Components on Health Facility Briefing System (HFBS) at: www.healthdesign.com.au ©TAHPI 								AM	SA	25.05.23		3 OF 3	
								REVIT FILE NAME		PAPER DRAWING ID		ISSUE	
								meet-l-20-i		meet-l-20-i-3		4	

This document is for advisory purpose only