

Room Layout Sheet

shdec-i


shdec-i

Room Name | Shower - Decontamination


The floor plan illustrates the layout of the Ambulance Trolley area, which is 8 m² in size. The overall dimensions are 2400 mm in width and 3300 mm in depth. The plan includes the following details:

- Entrances:** Two 920 mm clear openings are provided for the ambulance trolley, one at the top and one at the bottom.
- Clearances:** A 1000 mm clearance is maintained along the left wall, and 750 mm clearances are specified near the right wall.
- Equipment:**
 - Hospital telephone and power outlets are concealed in waterproof lockable cabinets on the left wall.
 - An adjustable body wash and trigger is concealed in a lockable cabinet (partially recessed) on the right wall.
 - A lockable powdercoated cover recessed medical gas panel (optional) is also located on the right wall.
 - Another adjustable body wash and trigger is concealed in a lockable cabinet (partially recessed) on the right wall.
- Other Features:**
 - A door at the top provides access "TO OUTSIDE".
 - A door at the bottom provides access "TO EMERGENCY UNIT".
 - A diamond-shaped hazard symbol with the numbers 1, 2, 3, and 4 is located in the lower right corner.
 - The floor is labeled "FLOOR-TL".
 - A fire extinguisher (FW) is positioned in the center of the room.


PLAN




ELEVATION 1



ELEVATION 2




ELEVATION 3



ELEVATION 4

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	24.10.10	CC	4	GENERAL REVISION	22.08.22	RC	
2	GENERAL REVISION	30.08.11	SK					
3	GENERAL REVISION	31.10.12	KC					



International Health Facility Guidelines at:
www.healthdesign.com.au/iHFG
 Editable version of Standard Components on
 Health Facility Briefing System (HFBS) at:
www.healthdesign.com.au ©TAHP1



DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
RC	SA	22.08.22	1 : 50	1 OF 2
REVIT FILE NAME shdec-i		PAPER DRAWING ID shdec-i-1		ISSUE 4

Room Layout Sheet

shdec-i

shdec-i

Room Name

Shower - Decontamination

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S.
(ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECTED TO DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.

CEILING TYPE
CORNICE TYPE
PB-PC2
2700 ← HEIGHT ABOVE F.F.L.

WPT-PC4	WATER RESISTANT, DROP IN TILES WITH POWDERCOAT ALUMINIUM CORNICE, SHADOW LINE
---------	---


— — — — — GRID LINE

	L/CC	LIGHT - COLOR CORRECTED
---	------	-------------------------


SUPPLY FILTER GRILLE

EXHAUST GRILLE


	SMOKE DETECTOR
	SPRINKLER



REFLECTED CEILING PLAN



ISOMETRIC VIEW 01



ISOMETRIC VIEW 02

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	24.10.10	CC	4	GENERAL REVISION	22.08.22	RC	
2	GENERAL REVISION	30.08.11	SK					
3	GENERAL REVISION	31.10.12	KC					



International Health Facility Guidelines at:
www.healthdesign.com.au/iHFG
 Editable version of Standard Components on
 Health Facility Briefing System (HFBS) at:
www.healthdesign.com.au ©TAHP1



DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
RC	SA	22.08.22	1 : 50	2 OF 2
REVIT FILE NAME shdec-i		PAPER DRAWING ID shdec-i-2		ISSUE 4

This document is for advisory purpose only