

iHFG Standard Components

Room Layout Sheet

Room Name

Staff Station, 14m²

RLS Room Code


sstn-14-i

RDS Room Code


sstn-14-i

ANDC	ANNUNCIATOR - DESKTOP CONSOLE
BH/PB	BULKHEAD - PLASTERBOARD, PAINT FINISH
CAC	CABLE ACCESS CAP
CG	CORNER GUARD
CHR/E	CHAIR - ERGONOMIC, OFFICE
CMP	COMPUTER
COM/1	COMMUNICATION OUTLET - SINGLE
COM/2	COMMUNICATION OUTLET - DOUBLE
CR	CRASH RAIL
DA	DURESS ALARM
L/PT	LIGHT - PELMET TASK LIGHT
LS	LIGHT SWITCH
LS/P	LIGHT SWITCH - PELMET TASK LIGHT
MGP	MEDICAL GAS ALARM PANEL
PDU/M	PEDESTAL DRAWER UNIT - MOBILE
PN/FC	PINBOARD - FABRIC COVERED
PO/1	POWER OUTLET - SINGLE
PO/2	POWER OUTLET - DOUBLE
PRT/N	PRINTER - NETWORKED
SK4	FLOOR VINYL COVED SKIRTING
SSTHPS	STAFF STATION - HIGH PERFORMANCE SURFACES
TCTR	TEMPERATURE CONTROL
TP/HS	TELEPHONE - HANDSET, STANDARD
V1	VINYL FLOORING, STANDARD SLIP RESISTANT
WBG/20	WASTE BIN - GENERAL, 20 LITRE
WPF	WALL PAINT FINISH


NOTE:
CONSIDERATION NEEDS TO BE GIVEN TO THE
INCORPORATION OF VDU'S FOR VIDEO MONITORING
OF PATIENTS I.E. FOR ICU, MENTAL HEALTH AND
OTHER 'AT RISK' PATIENTS.




ELEVATION 1




ELEVATION 2




ELEVATION 4



PLAN



ELEVATION 3



ELEVATION 5

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	08.01.15	NB					
2	GENERAL REVISION	31.08.22	RA					
								iHFG
								DESIGNED RA
								APPROVED RH
								DATE 31.08.22
								SCALE(S) 1 : 50
								SHEET 1 OF 2
								REVIT FILE NAME sstn-14-i
								PAPER DRAWING ID sstn-14-i-1
								ISSUE 2

iHFG Standard Components

Room Layout Sheet

Room Name

Staff Station, 14m²

RLS Room Code

sstn-14-i

RDS Room Code

sstn-14-i

GENERAL NOTES:

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S. (ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECTED TO DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.

CEILING LEGEND:

BP-PC2

2700

CEILING TYPE

CORNICE TYPE

HEIGHT ABOVE F.F.L.

ACT-PCS

BH/PB

GRID LINE

ACOUSTIC CEILING TILES WITH POWDERCOAT ALUMINIUM CORNICE, FLUSHED AGAINST WALL

PLASTERBOARD BULKHEAD, PAINT FINISH

TILE CEILING GRID (600 x 600)

GRID LINE

ELECTRICAL LEGEND:

L/LL

LIGHT - LED LIGHT

MECHANICAL LEGEND:


SUPPLY AIR GRILLE

RETURN AIR GRILLE


FIRE SERVICES LEGEND:

SMOKE DETECTOR

SPRINKLER



REFLECTED CEILING PLAN



ISOMETRIC VIEW 1

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY					
1	FIRST ISSUE	08.01.15	NB					iHFG					
2	GENERAL REVISION	31.08.22	RA										
iHFG International Health Facility Guidelines International Health Facility Guidelines at: www.healthdesign.com.au/iHFG Editable version of Standard Components on Health Facility Briefing System (HFBS) at: www.healthdesign.com.au ©TAHPI ISO 9001 QUALITY MANAGEMENT SYSTEM									DESIGNED RA	APPROVED RH	DATE 31.08.22	SCALE(S) 1 : 50	SHEET 2 OF 2
				REVIT FILE NAME sstn-14-i	PAPER DRAWING ID sstn-14-i-2		ISSUE 2						